

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-14. (Cancelled)

15. (Currently Amended) A method ~~Method~~ for providing access to information related to a client terminal to a first web server, the information being stored by a second web server, wherein the first web server is connected to the client terminal via a proxy server, the method comprising the steps of:

the second web server sending a message, including a cookie, to the proxy server, wherein the cookie comprises a network address of the second web server;

storing the [[a]] cookie for the first web server in said proxy server, wherein the cookie [[is]] being related to the client terminal; and includes a network address of the second web server and wherein the cookie is sent to the proxy server in a session according to a hypertext transfer protocol by the second web server;

the proxy server receiving a message from said client terminal that is addressed to the first web server;

the proxy server inserting the cookie into the received message, said cookie identifying said second web server; and

forwarding the received message to the first web server wherein said first web server uses said cookie for requesting said information from said second web server.

16. (Currently Amended) ~~Method~~ The method according to claim 15, wherein the client terminal is a mobile terminal, the proxy server is at least one of a wireless application protocol gateway or a hypertext transfer protocol proxy server, and wherein the connection of the client terminal to the first web server further comprises the steps of:

establishing a first connection between the client terminal and the proxy server

according to a wireless application protocol or a hypertext transfer protocol; and
establishing a second connection between the proxy server and the first web
server according to a hypertext transfer protocol.

17. (Currently Amended) ~~Method~~ The method according to claim 15 wherein
said second web server includes an authentication server.

18. (Currently Amended) ~~Method~~ The method according to claim 15 wherein
said second web server includes a payment server for said client terminal.

19. (Currently Amended) A proxy ~~Proxy~~ server for a communication network,
wherein the proxy server comprises:

a memory for storing a cookie received from a second web server, said cookie
associated with a particular client terminal and further including a network address
identifying [[a]] the second web server containing information associated with said client
terminal;

interfaces for sending and receiving messages with said client terminal and a first
web server; and

means for receiving a signal from said client terminal further comprising means
for:

modifying said received signal to include said stored cookie identifying
said second web server; and

forwarding said modified signal to said first web server allowing said first
web server to use said cookie to request said information from said second web server.

20. (Currently Amended) The proxy server according to claim 19, wherein the
client terminal is a mobile terminal, the proxy server is at least one of a wireless
application protocol gateway or a hypertext transfer protocol proxy server, said server
further comprising an interface means for establishing a connection between said client
terminal with the first web server, wherein said interface means establishes a first

connection between the client terminal and the server according to a wireless application protocol or a hypertext transfer protocol and establishes a second connection between the server and the first web server according to a hypertext transfer protocol.

21. (Currently Amended) The proxy according to claim 20 wherein said second web server includes an authentication server.

22. (Currently Amended) The proxy according to claim 20 wherein said second web server includes a payment server for said client terminal.

23. (Previously Presented) ~~Program unit loadable into~~ A computer program product within a computer usable medium coupled to a proxy server in a communication network, wherein the program unit comprises code adapted to the computer program product comprising:

instructions within the computer usable medium for storing ~~store~~ a cookie for a first web server wherein the cookie is related to the client terminal and includes a network address of a second web server and wherein the cookie is sent to the proxy server by the second web server in a session according to a hypertext transfer protocol ~~by the second web server~~, and said

instructions within the computer usable medium for processing messages, ~~program unit is further adapted to process messages~~, said messages include including a message for the first web server from the client terminal ~~and wherein the program unit~~ computer program further comprises code adapted to insert instructions for inserting the cookie into the message and ~~to forward~~ forwarding the message towards the first web server.